Brain Research, 574 (1992) 357–358
Elsevier

Author Index

Agarwal, S.K. and Calaresu, F.R., Electrical stimulation of nucleus tractus solitarius excites vagal preganglionic cardiomotor neurons of the nucleus ambiguus in rats, 320
Akaike, N., see Kakehata, S., 21
Alford, M., see Masliah, E., 312
Anezaki, T., Yanagisawa, K., Takahashi, H., Nakajima, T., Miyashita, K., Ishikawa, A., Ikuta, F. and Miyatake, T., Remote astrocytic response of prefrontal cortex is caused by the lesions in the nucleus basalis of Meynert, but not in the ventral tegmental area, 63
Appenzeller, O., see Milner, P., 56
Azari, N.P., Rapoport, S.I., Grady, C.L., DeCarli, C., Haxby, J.V., Schapiro, M.B. and Horwitz, B., Gender differences in correlations of cerebral glucose matabolic rates in young normal adults, 198

Balthazart, J., Foidart, A., Surlemont, C., Harada, N. and Naftolin, F., Neuroanatomical specificity in the autoregulation of aromatase-immunoreactive neurons by androgens and estrogens: an immunocytochemical study, 280
Barone, F.C., see Yue, T.-L., 193
Baudier, J., see Masliah, E., 312
Bendel, P. and Eilam, R., Quantitation of ventricular size in normal and spontaneously hypertensive rats by magnetic resonance imaging, 224
Bicknell, R.J., see Kato, M., 138
Black, J.A., see Waxman, S.G., 105
Blaugrund, E., Sharma, S. and Schwartz, M., L1 immunoreactivity in the developing fish visual system, 244
Boda, B. and Szente, M.B., Stimulation of substantia nigra pars reticulata suppresses neocortical seizures, 237
Boksa, P., Mount, H. and Chaudieu, I., Phorbol ester enhances excitatory amino acid-induced dopamine release from mesencephalic cell cultures, 209
Brashear, H.R., see Wolf, S.S., 349
Britton, K.T., Segal, D.S., Kuczenski, R. and Hauger, R., Dissociation between in vivo hippocampal norepinephrine response and behavioral/neuroendocrine responses to noise stress in rats, 125
Brown, S.A., see Kohama, S.G., 341
Buchan, A.M., Slivka, A. and Xue, D., The effect of the NMDA receptor antagonist MK-801 on cerebral blood flow and infarct volume in experimental focal stroke, 171
Burnstock, G., see Milner, P., 56

Calaresu, F.R., see Agarwal, S.K., 320
Carrozza, D.P., Ferraro, T.N., Golden, G.T., Reyes, P.F. and Hare, T.A., In vivo modulation of excitatory amino acid receptors: microdialysis studies on *N*-methyl-D-aspartate-evoked striatal dopamine release and effects of antagonists, 42
Chang, H.T. and Kita, H., Interneurons in the rat striatum: relationships between parvalbumin neurons and cholinergic neurons, 307
Chapman, C., see Kato, M., 138
Chaudieu, I., see Boksa, P., 209
Chavez-Noriega, L.E. and Stevens, C.F., Modulation of synaptic efficacy in field CA1 of the rat hippocampus by forskolin, 85
Cheng, H.-Y., see Yue, T.-L., 193
Chichery, R., see Chichery, M.-P., 77
Chichery, M.-P. and Chichery, R., Behavioural and neurohistological changes in aging *Sepia*, 77
Clavenna, A., see De Simoni, M.G., 93
Code, W., see Shuaib, A., 120
Coghill, R.C., see Mao, J., 157
Cook, A., see Mobbs, P., 217

De Luigi, A., see De Simoni, M.G., 93
De Simoni, M.G., De Luigi, A., Clavenna, A. and Manfridi, A., In vivo studies on the enhancement of serotonin reuptake by tianeptine, 93
DeCarli, C., see Azari, N.P., 198
Del Cerro, C., see Del Cerro, M., 1
Del Cerro, M., Kordower, J.H., Lazar, E., Grover, D.A. and Del Cerro, C., Photoreceptor differentiation in retinal xenografts of fetal monkey retina, 1
DeTeresa, R., see Masliah, E., 312

Eilam, R., see Bendel, P., 224
Everett, K., see Mobbs, P., 217

Fatatis, A., Holtzclaw, L., Payza, K. and Russell, J.T., Secretion from rat neurohypophysial nerve terminals (neurosecretosomes) rapidly inactivates despite continued elevation of intracellular Ca, 33
Felts, P.A. and Smith, K.J., Conduction properties of central nerve fibers remyelinated by Schwann cells, 178
Ferraro, T.N., see Carrozza, D.P., 42
Feuerstein, G., see Yue, T.-L., 193
Finch, C.E., see Kohama, S.G., 341
Foidart, A., see Balthazart, J., 280
Frenk, H., see Mao, J., 157
Fuchikami, K., see Nakahara, D., 164

Golden, G.T., see Carrozza, D.P., 42
Grady, C.L., see Azari, N.P., 198
Gray, C.W. and Patel, A.J., Characterization of a neurotrophic factor produced by cultured astrocytes involved in the regulation of subcortical cholinergic neurons, 257
Grover, D.A., see Del Cerro, M., 1
Gruol, D.L., Chronic exposure to alcohol during development alters the responses to excitatory amino acids in cultured Purkinje neurons, 271
Gu, J.-L., see Yue, T.-L., 193

Hansen, L., see Masliah, E., 312
Hara, H., Kato, H., Onodera, H., Kawagoe, J.-i. and Kogure, K., Regional variations in particulate cyclic AMP dependent-protein kinase binding activity in the gerbil hippocampus following transient forebrain ischemia by [^{3}H]cyclic AMP binding, 26
Harada, N., see Balthazart, J., 280
Hare, T.A., see Carrozza, D.P., 42
Hauger, R., see Britton, K.T., 125
Haxby, J.V., see Azari, N.P., 198
Hayashi, H., Toda, T. and Tabata, T., Bulbar reticular neurons relaying somatosensory information to the mesencephalic parabrachial area of the cat, 329
Herbert, J., see McGregor, A., 9
Heymann-Mönnikes, I., see Mönnikes, H., 70
Holtzclaw, L., see Fatatis, A., 33
Horwitz, B., see Azari, N.P., 198
Hu, S.-B., Lightman, S.L. and Tannahill, L.A., 5-Hydroxytryptamine stimulates corticosteroid-sensitive CRF release from cultured foetal hypothalamic cells. Role of protein kinases, 266

Ichikawa, J. and Meltzer, H.Y., The effect of chronic atypical antipsychotic drugs and haloperidol on amphetamine-induced dopamine release in vivo, 98
Ijaz, S., see Shuaib, A., 120
Ikuta, F., see Anezaki, T., 63
Ishikawa, A., see Anezaki, T., 63
Iwasaki, T., see Nakahara, D., 164

Kakehata, S., Nakagawa, T., Takasaka, T. and Akaike, N., Glycine response in isolated dorsal cochlear nucleus of C57BL/6J mouse, 21
Kalant, H., see Khanna, J.M., 251
Kalin, N.H., see Takahashi, L.K., 131
Kalra, J., see Shuaib, A., 120
Kar, S. and Quirion, R., Quantitative autoradiographic localization of [^{125}I]neuropeptide Y receptor binding sites in rat spinal cord and the effects of neonatal capsaicin, dorsal rhizotomy and peripheral axotomy, 333
Kato, H., see Hara, H., 26
Kato, M., Chapman, C. and Bicknell, R.J., Activation of κ-opioid receptors inhibits depolarisation-evoked exocytosis but not the rise in intracellular Ca^{2+} in secretory nerve terminals of the neurohypophysis, 138

Kawagoe, J.-i., see Hara, H., 26
Kellstein, D.E., see Mao, J., 157
Kenan-Vaknin, G., Malach, R. and Segal, M., Excitatory inputs to layer V pyramidal cells of rat primary visual cortex revealed by acetylcholine activation, 147
Khanna, J.M., Mihic, S.J., Weiner, J., Shah, G., Wu, P.H. and Kalant, H., Differential inhibition by NMDA antagonists of rapid tolerance to, and cross-tolerance between, ethanol and chlordiazepoxide, 251
Kita, H., see Chang, H.T., 307
Kleinhaus, A.L., see Nussinovitch, I., 49
Kogure, K., see Hara, H., 26
Kohama, S.G., Brown, S.A., Finch, C.E. and McNeill, T.H., Chronic estradiol administration did not cause loss of hypothalamic LHRH or TIDA neurons in young or middle-aged C57BL/6J mice, 341
Kordower, J.H., see Del Cerro, M., 1
Koulu, M., see Pesonen, U., 353
Kuczenski, R., see Britton, K.T., 125

Lazar, E., see Del Cerro, M., 1
Levesque, C.A., see Wolf, S.S., 349
Lightman, S.L., see Hu, S.-B., 266
Loewy, A.D., see Rotto-Percelay, D.M., 291
Lysko, P.G., see Yue, T.-L., 193

Malach, R., see Kenan-Vaknin, G., 147
Mallory, M., see Masliah, E., 312
Manfridi, A., see De Simoni, M.G., 93
Mao, J., Coghill, R.C., Kellstein, D.E., Frenk, H. and Mayer, D.J., Calcitonin gene-related peptide enhances substance P-induced behaviors via metabolic inhibition: in vivo evidence for a new mechanism of neuromodulation, 157
Masliah, E., Mallory, M., Hansen, L., Alford, M., DeTeresa, R., Terry, R., Baudier, J. and Saitoh, T., Localization of amyloid precursor protein in GAP43-immunoreactive aberrant sprouting neurites in Alzheimer's disease, 312
Mayer, D.J., see Mao, J., 157
McGregor, A. and Herbert, J., Differential effects of excitotoxic basolateral and corticomedial lesions of the amygdala on the behavioural and endocrine responses to either sexual or aggression-promoting stimuli in the male rat, 9
McNeill, T.H., see Kohama, S.G., 341
Meltzer, H.Y., see Ichikawa, J., 98
Miettinen, T., see Pesonen, U., 353
Mihic, S.J., see Khanna, J.M., 251
Miller, J.W., see Torack, R.M., 345
Milner, P., Appenzeller, O., Qualls, C. and Burnstock, G., Differential vulnerability of neuropeptides in nerves of the vasa nervorum to streptozotocin-induced diabetes, 56
Miyashita, K., see Anezaki, T., 63
Miyatake, T., see Anezaki, T., 63
Mobbs, P., Everett, K. and Cook, A., Signal shaping by voltage-gated currents in retinal ganglion cells, 217
Mönnikes, H., Heymann-Mönnikes, I. and Taché, Y., CRF in the paraventricular nucleus of the hypothalamus induces dose-related behavioral profile in rats, 70
Mount, H., see Boksa, P., 209

Naftolin, F., see Balthazart, J., 280
Nagatsu, T., see Nakahara, D., 164
Nakagawa, T., see Kakehata, S., 21
Nakahara, D., Fuchikami, K., Ozaki, N., Iwasaki, T. and Nagatsu, T., Differential effect of self-stimulation on dopamine release and metabolism in the rat medial frontal cortex, nucleus accumbens and striatum studied by in vivo microdialysis, 164
Nakajima, T., see Anezaki, T., 63
Nishimura, S., see Sorimachi, M., 325
Nussinovitch, I. and Kleinhaus, A.L., Dopamine inhibits voltage-activated calcium channel currents in rat pars intermedia pituitary cells, 49

Ögren, S.O., see Pramanik, A., 317
Onodera, H., see Hara, H., 26
Osorio, F.A., see Rotto-Percelay, D.M., 291
Ozaki, N., see Nakahara, D., 164

Patel, A.J., see Gray, C.W., 257
Payza, K., see Fatatis, A., 33
Pesonen, U., Miettinen, T., Scheinin, M. and Koulu, M., α_2-Adrenoceptor density in forebrain areas of Zucker rats: no effect of genetic obesity or antiglucocorticoid treatment, 353
Platt, K.B., see Rotto-Percelay, D.M., 291
Pramanik, A. and Ögren, S.O., Galanin-evoked acetylcholine release in the rat striatum is blocked by the putative galanin antagonist M15, 317

Qualls, C., see Milner, P., 56
Quirion, R., see Kar, S., 333

Ransom, B.R., see Waxman, S.G., 105
Rapoport, S.I., see Azari, N.P., 198
Reyes, P.F., see Carrozza, D.P., 42
Romero, A., see Steinacker, A., 229
Rotto-Percelay, D.M., Wheeler, J.G., Osorio, F.A., Platt, K.B. and Loewy, A.D., Transneuronal labeling of spinal interneurons and sympathetic preganglionic neurons after pseudorabies virus injections in the rat medial gastrocnemius muscle, 291
Russell, J.T., see Fatatis, A., 33

Saitoh, T., see Masliah, E., 312
Schapiro, M.B., see Azari, N.P., 198
Scheinin, M., see Pesonen, U., 353
Schwartz, M., see Blaugrund, E., 244
Segal, M., see Kenan-Vaknin, G., 147
Segal, D.S., see Britton, K.T., 125
Shah, G., see Khanna, J.M., 251
Sharma, S., see Blaugrund, E., 244
Shuaib, A., Ijaz, S., Kalra, J. and Code, W., Repetitive transient forebrain ischemia in gerbils: delayed neuronal damage in the substantia nigra reticulata, 120
Slivka, A., see Buchan, A.M., 171
Smith, K.J., see Felts, P.A., 178
Sorimachi, M., Nishimura, S. and Yamagami, K., Possible role of surface potential in the gating mechanism of Ca^{2+} channels in cat adrenal chromaffin cells: studies with fura-2 microfluorometry, 325
Steinacker, A. and Romero, A., Voltage-gated potassium current and resonance in the toadfish saccular hair cell, 229
Stevens, C.F., see Chavez-Noriega, L.E., 85
Stys, P.K., see Waxman, S.G., 105
Surlemont, C., see Balthazart, J., 280
Szente, M.B., see Boda, B., 237

Tabata, T., see Hayashi, H., 329
Taché, Y., see Mönnikes, H., 70
Takahashi, H., see Anezaki, T., 63
Takahashi, L.K., Turner, J.G. and Kalin, N.H., Prenatal stress alters brain catecholaminergic activity and potentiates stress-induced behavior in adult rats, 131
Takasaka, T., see Kakehata, S., 21
Tannahill, L.A., see Hu, S.-B., 266
Terry, R., see Masliah, E., 312
Toda, T., see Hayashi, H., 329
Tonosaki, K., Cross-adapted salt responses in the mouse taste cell, 338
Torack, R.M. and Miller, J.W., Hippocampal pyramidal cell response to 6-hydroxydopamine lesions of the rat ventral tegmental area, 345
Turner, J.G., see Takahashi, L.K., 131

Waxman, S.G., Black, J.A., Stys, P.K. and Ransom, B.R., Ultrastructural concomitants of anoxic injury and early post-anoxic recovery in rat optic nerve, 105
Weiner, J., see Khanna, J.M., 251
Wheeler, J.G., see Rotto-Percelay, D.M., 291
Wolf, S.S., Brashear, H.R., Levesque, C.A. and Wooten, G.F., Quantitative autoradiography of hemicholinium-3 binding sites in human amygdala, 349
Wooten, G.F., see Wolf, S.S., 349
Wu, P.H., see Khanna, J.M., 251

Xue, D., see Buchan, A.M., 171

Yamagami, K., see Sorimachi, M., 325
Yanagisawa, K., see Anezaki, T., 63
Yue, T.-L., Gu, J.-L., Lysko, P.G., Cheng, H.-Y., Barone, F.C. and Feuerstein, G., Neuroprotective effects of phenyl-t-butyl-nitrone in gerbil global brain ischemia and in cultured rat cerebellar neurons, 193